## **CRAWLEY BOROUGH COUNCIL**

## **BYELAWS**

relating to

**TATTOOING** 

## **TATTOOING**


## Extent of Byelaws

These byelaws shall extend to the Borough of Crawley

|            |          |         |                  | Interpretation:                |            |  |
|------------|----------|---------|------------------|--------------------------------|------------|--|
|            | W. i     | 1, (a)  | In these hvelaws | unless the context otherwise r | agniros:   |  |
| 1.         |          |         |                  |                                |            |  |
|            |          |         |                  |                                |            |  |
|            |          |         |                  |                                |            |  |
| =          |          |         |                  |                                |            |  |
|            |          |         |                  |                                |            |  |
| -          | -        |         |                  |                                |            |  |
|            |          | _       |                  |                                |            |  |
|            |          | <u></u> | ·                |                                | ,          |  |
| <u> </u>   |          | _       |                  |                                |            |  |
| Ī          | <u></u>  |         |                  | =                              |            |  |
|            | · -      |         |                  |                                | <u></u>    |  |
| _          | _        |         |                  |                                |            |  |
| <u> </u>   |          |         | <u></u>          |                                |            |  |
| _          |          |         |                  |                                |            |  |
| <u>,</u>   |          |         |                  |                                |            |  |
| <u>L</u> F |          |         |                  |                                |            |  |
|            | ,        |         |                  |                                | ¥ .        |  |
| _          |          | -       |                  |                                |            |  |
| <i>†</i>   |          |         |                  |                                |            |  |
|            |          |         |                  |                                |            |  |
|            |          |         |                  |                                |            |  |
| · •        |          |         |                  |                                | <i>t</i> . |  |
| 4          | <u>,</u> |         |                  |                                |            |  |
| -          | <u> </u> | ,       |                  |                                |            |  |
| ۱۰<br>-    | <u> </u> |         |                  |                                |            |  |
| 7          | 2        |         | •                |                                |            |  |
| •          |          |         |                  |                                |            |  |
|            |          |         |                  |                                |            |  |
| :          |          |         |                  |                                |            |  |
| -          |          | ,       |                  |                                |            |  |
|            |          |         |                  |                                |            |  |

be changed at least once every working day or more frequently as necessary and shall be sealed prior to disposal;


(e) All needles intended for disposal are placed in disposable needle boxes designed for the purpose. The boxes shall be disposed of safely. All needles intended for re-use shall be placed in leakproof and washable containers capable of being sterilised. The containers shall be emptied at least once every working day or more frequently as necessary, and the needles and containers sterilised for re-use.




as is appropriate, is sterile;

- (ii) Has not previously been used in connection with any other client unless it consists of a material which can be and has been cleaned and, so far as is appropriate, sterilised;
- (b) An operator shall ensure that:-
  - (i) any needle, metal instrument, or other item of equipment, used in treatment or for handling instruments and needles used in treatment, is in a sterile condition and kept sterile until it is used;

(ii) All decorated to the state of the state





NOTE - THE FOLLOWING DOES NOT FORM PART OF THE BYELAWS (A) Proprietors shall take all reasonable steps to ensure