
	Bewbush the GreBreezehurst	Ch	erry LaneCreasys	Ewi	hurst Furnace Green	Gainsborough Rd G	offs	Gossops Gree Gra	attons	Ifield Green	Knepp Close	Loppets	Maidenbo N	orthgate Ra	athlin Ru	sper Rd	Southgate Park
ACCESSIBILITY (130)																	
Main Entrance	10	10	5	10		0 5	10		10	10			10	10	0	5	10
Sub/side Entrance	0	5	0	0		0 0	10	0	5	0	(5	5	0	0	10
Bus Links	10	10	5	10		5 5	10	5	10	5				10	5	5	10
Paths	0	0	1	0		0 0	5	0	5	0	(5	0	5	0	10
Walking routes condition	0	0	5	0		0 5	10	5	5	5	(5	5	0	10
Cycles	5	0	0	0		0 0	5	0	0	0	(0	0	0	C	6
Cycle Storage	0	10	5	10		0 0	0	10	10	0	10			0	0	C	0
Car Park Access	5	10	5	10		0 5	10	10	10	5	10			5	0	5	10
Car Park Spaces	5	10	10	10	10 1	0 10	10	10	10	5	10			5	0	10	6
Car Park Surface	10	10	10	10		5 5	5	0	10	5				5	0	10	
Disabled Parking	10	10	10	10	0	0 0	10	0	10	10	() 10	10	0	0	10	10
Options for general/local use	0	0	5	0	0	5 0	10	5	10	0		. (5	10	0	1	5
Options for unique																	
purpose/specific use	0	0	10	0	0	0 1	10	0	10	0	() (0	0	0	1	10
	42%	58%	55%	54%	38% 35	6 28%	81%	38%	81%	35%	38%	35%	62%	42%	12%	36%	82%
USE & DEMAND (130)																	
Walking/jogging and Dog																	
walking route options	0	0	10	5	0	0 1	10	0	10	5	() (0	5	10	5	10
Informal Recreation	0	0	10	0	0	1 10	10	5	10	5) 1	10	5	0	1	10
Play areas	5	0	10	0	5	5 5	10	5	10	10		10		10	5	1	10
Footfall	0	o	5	0	1	5 5	10	0	10	5			10	10	0	1	10
Directional interpretational																	
signage	0	0	0	0	0	0 0	10	0	5	0	() (0	0	0	0	1
site identitiy	0	0	5	0	0	5	10	0	5	5) (10	0	0	1	10

Three Bridges

	Southga	te	West		Willoughb	Maidenbo	Cherry	lfield	Gainsboro	(-	Jubilee	Bewbush		Breezehur	Western	Knepp	Furnace		Gossops	Rusper	r	
	Park	Goffs	Green	Grattons	y Field	wer	Lane	Green	ugh Rd	Northgate P	PF)	the Green	Ewhurst	st	Strip	Close	Green	Loppets	Green	Rd	Rathlin	Creasys
ACCESSIBILITY	82	% 819	6 929	6 81%	77%	62%	55%	35%	28%	42%	32%		38%	58%	42%	38%	35%	6 35%	389	6 3	36% 1:	% 54%
USE & DEMAND	65	% 429	6 539	6 42%	24%	53%	55%	37%	35%	27%	30%	15%	8%	5%	19%	11%	31%	6 129	6 129	6 1	15% 1	% 5%
ENVIRONMENT QUALITY	95	% 629	6 779	62%	35%	5 77%	81%	54%	51%	39%	44%	23%	12%	12%	23%	15%	17%	6 189	6 159	6 1	12% 1	5% 8%
FACILITIES																						
MAINTENANCE	75	% 779	6 739	6 59%	77%	69%	52%	73%	58%	51%	47%	65%	58%	46%	62%	54%	48%	6 35%	469	6 3	37% 3	% 27%
SAFETY	100	% 309	6 409	6 52%	30%	5 70%	30%	50%	30%	50%	30%	60%	50%	50%	0%	20%	30%	6 30%	409	6	4%	10%
MANAGEMENT	66	% 1009	6 709	6 50%	60%	50%	30%	50%	50%	30%	30%	50%	40%	50%	40%	30%	40%	20%	309	6 4	10% 1	10%
COMMUNITY								-				_							_			
INVOLVEMENT	55	% 1009	6 1009	63%	88%	50%	50%	50%	25%	13%	38%	13%	0%	13%	13%	13%	13%	6 25%	6 139	6 1	13% 2	5% 0%
Overall Score	81	% 77	% 77°	% 66%	669	62%	55%	51%	43%	43%	37%	37%	37%	35%	33%	31%	319	6 30%	6 289	6 2	25% 2	1% 24%
	Protect																					
	(HigE																					
Overall Qualitative																						
Placement																						



Top score 500

SURFACE QUALITY	Southgate Park	Rusper Road	Gainsborc M	aidenbower	
General Use areas Grass Cutting	10	10	10	10	10
Football Pitch Slope	10	5	10	10	10
Football Eveness	10	5	10	10	10
Football Puddling	10	5	5	9	10
Football Drainage	10	5	10	5	10